

## Parameters of Finning – Table in Millimetres (finning material –aluminium)

d	D	H	b	t	Finning coefficient	Heat transferring surface of 1 meter of finned tube
[mm]	[mm]	[mm]	[mm]	[mm]	f	[m <sup>2</sup> ]
16	36	10	0.6	2.5	12.5	0.699
	42	12	0.4	3.0	14.0	0.788
19	40	10	0.4	2.5	12.0	0.794
	50	14	0.4	3.0	16.5	1.069
20	43	10	0.4	2.5	13.0	0.915
22	54	15	0.4	2.5	21.5	1.553
	52	14	0.4	3.0	18.0	1.293
	44	10	0.4	3.5	15.0	1.110
25	57	15	0.3	2.5	20.0	1.628
	56	14.5	0.4	3.0	14.6	1.284
	49	10.5	0.6	3.5	9.0	0.792
38	62	10	0.6	3.5	8.0	1.029
	70	15	0.3	2.5	17.5	2.100

